



## USE OF AN IMPEDANCE THRESHOLD DEVICE (ITD) DURING STANDARD AND/OR ACTIVE COMPRESSION DECOMPRESSION CPR

To obtain a copy of any article listed here, please contact us at:  
[info@advancedcirculatory.com](mailto:info@advancedcirculatory.com) or 1-877-ResQPOD

1. Aufderheide TP, Pirralo RG, et al. Clinical evaluation of an inspiratory impedance threshold device during standard cardiopulmonary resuscitation in patients with out-of-hospital cardiac arrest. *Crit Care Med* 2005;33(4):734-40.
2. Pirralo RG, Aufderheide TP, et al. Effect of an inspiratory impedance threshold device on hemodynamics during conventional manual cardiopulmonary resuscitation. *Resuscitation* 2005;66:13-20.
3. Thayne RC, Thomas DC, et al. Use of an impedance 103-8.threshold device improves short-term outcomes following out-of-hospital cardiac arrest. *Resuscitation* 2005;67(1):103-08.
4. Wolcke BB, Mauer DK, et al. Comparison of standard cardiopulmonary resuscitation versus the combination of active compression-decompression cardiopulmonary resuscitation and an inspiratory impedance threshold device for out-of-hospital cardiac arrest. *Circulation* 2003;108(18):2201-5.
5. Plaisance P, Lurie KG, Payen D. Inspiratory impedance during active compression-decompression cardiopulmonary resuscitation: a randomized evaluation in patients in cardiac arrest. *Circulation* 2000;101(9):989-94.
6. Plaisance P, Lurie KG, et al. Evaluation of an impedance threshold device in patients receiving active compression-decompression cardiopulmonary resuscitation for out of hospital cardiac arrest. *Resuscitation* 2004;61(3):265-71.
7. Plaisance P, Soleil C, et al. Use of an inspiratory impedance threshold device on a facemask and endotracheal tube to reduce intrathoracic pressures during the decompression phase of active compression-decompression cardiopulmonary resuscitation. *Crit Care Med* 2005;33(5):990-4.
8. Bahlmann L, Klaus S, et al. Brain metabolism during cardiopulmonary resuscitation assessed with microdialysis. *Resuscitation* 2003;59(2):255-60.
9. Lurie KG, Coffeen P, et al. Improving active compression-decompression cardiopulmonary resuscitation with an inspiratory impedance valve. *Circulation* 1995;91(6):1629-32.
10. Lurie K, Zielinski T, et al. Improving the efficiency of cardiopulmonary resuscitation with an inspiratory impedance threshold valve. *Crit Care Med* 2000;28(11 - Suppl):N207-9.
11. Nadkarni V, Srinivasan V, et al. Rapid brain cooling is enhanced with active compression decompression plus an inspiratory impedance threshold device CPR in a pig model of cardiac arrest. *Circulation* 2003;108(17):IV-379.



12. Raedler C, Voelckel WG, et al. Vasopressor response in a porcine model of hypothermic cardiac arrest is improved with active compression-decompression cardiopulmonary resuscitation using the inspiratory impedance threshold valve. *Anesth Analg* 2002;95(6):1496-502.
13. Voelckel WG, Lurie KG, et al. Effects of active compression-decompression cardiopulmonary resuscitation with the inspiratory threshold valve in a young porcine model of cardiac arrest. *Pediatr Res* 2002;51(4):523-7.
14. Voelckel WG, Lurie KG, et al. The effects of positive end-expiratory pressure during active compression decompression cardiopulmonary resuscitation with the inspiratory threshold valve. *Anesth Analg* 2001;92(4):967-74.
15. Sigurdsson G, Yannopoulos D, et al. Cardiorespiratory interactions and blood flow generation during cardiac arrest and other states of low blood flow. *Curr Opin Crit Care* 2003;9(3):183-8.
16. Frascone RJ, Bitz D, Lurie K. Combination of active compression decompression cardiopulmonary resuscitation and the inspiratory impedance threshold device: state of the art. *Curr Opin Crit Care* 2004;10(3):193-201.
17. Lurie KG, Zielinski T, et al. Use of an inspiratory impedance valve improves neurologically intact survival in a porcine model of ventricular fibrillation. *Circulation* 2002;105(1):124-9.
18. Lurie KG, Mulligan KA, et al. Optimizing standard cardiopulmonary resuscitation with an inspiratory impedance threshold valve. *Chest* 1998;113(4):1084-90.
19. Lurie KG, Voelckel WG, et al. Improving standard cardiopulmonary resuscitation with an inspiratory impedance threshold valve in a porcine model of cardiac arrest. *Anesth Analg* 2001;93(3):649-55.
20. Yannopoulos D, Sigurdsson G, et al. Reducing ventilation frequency combined with an inspiratory impedance device improves CPR efficiency in a swine model of cardiac arrest. *Resuscitation* 2004;(61):75-82.
21. Langhelle A, Stromme T, et al. Inspiratory impedance threshold valve during CPR. *Resuscitation* 2002;52(1):39-48.
22. Lurie KG, Zielinski T, et al. Augmentation of ventricular preload during treatment of cardiovascular collapse and cardiac arrest. *Crit Care Med* 2002;30(4):S162-5.
23. Lurie KG, Barnes TA, et al. Evaluation of a prototypic inspiratory impedance threshold valve designed to enhance the efficiency of cardiopulmonary resuscitation. *Resp Care* 2003;48(1):52-57.
24. Lurie KG, Ingbar D, et al. Potential role of the vocal cords during cardiopulmonary resuscitation. *Circulation* 1998;98(17):I-478.



25. Gabrielli A, Layon AJ, et al. Alternative ventilation strategies in cardiopulmonary resuscitation. *Curr Opin Crit Care* 2002;8(3):199-211.
26. Genzwuerker HV, Finteis T, et al. Influence of the impedance threshold valve (ITV) on ventilation with different airway devices. Abstract presented at ESA (Lisbon, Portugal; June 2004).
27. Babbs CF. Circulatory adjuncts. Newer methods of cardiopulmonary resuscitation. *Cardiol Clin* 2002;20(1):37-59.
28. Lindner KH, Wenzel V. New mechanical methods for CPR. Literature study and analysis of effectiveness. *Anaesthetist* 1997;46(3):220-30.
29. Lurie K. Mechanical devices for cardiopulmonary resuscitation: an update. *Emerg Med Clin North Am* 2002;20(4):771-84.
30. Lurie KG. Recent advances in mechanical methods of CPR. *Acta Anaesthesiol Scand Suppl.* 1997;111:49-52.
31. Lurie K. Bringing back the nearly dead. The hope and the challenge. *Minn Med* 2002;85(4):39-42.
32. Lurie KG, Lindner KH. Recent advances in cardiopulmonary resuscitation. *J Cardiovasc Electrophysiol* 1997;8(5):584-600.
33. Lurie K, Plaisance P, et al. Mechanical advances in CPR. *Curr Opin Crit Care* 2001;7(3):170-5.
34. Lurie K, Sukhum P, et al. Recent advances in mechanical cardiopulmonary resuscitation devices. *Curr Opin Crit Care.* 1999;5(3):184-192.
35. Lurie K, Voelckel W, et al. Use of an inspiratory impedance threshold valve during cardiopulmonary resuscitation: a progress report. *Resuscitation* 2000;44(3):219-30.
36. Mauer D, Wolcke B, Dick W. Alternative methods of mechanical cardiopulmonary resuscitation. *Resuscitation* 2000;44(2):81-95.
37. Sugiyama A, Lurie KG, et al. Utilization of a model lung system to assess the effects of an inspiratory impedance threshold valve on the relationship between active decompression and intra-thoracic pressure. *Resuscitation* 1999;42(3):231-4.
38. Sukhum P, Voelckel W, Lurie KG. Recent advances in active compression-decompression CPR. *Baillière's Clinical Anaesthesiology* 2000;14(3):483-496.
39. Wenzel V, Voelckel WG, et al. The new international guidelines for CPR: an analysis and comments on the most important changes. *Anaesthetist* 2001;50(5):342-57.
40. Smith T. Alternative cardiopulmonary resuscitation devices. *Curr Opin Crit Care* 2002;8(3):219-23.



41. Wigginton JG, Miller AH, et al. Mechanical devices for cardiopulmonary resuscitation. *Curr Opin Crit Care* 2005;11(3):219-23.
42. Wigginton JG. The inspiratory impedance threshold device for treatment of patients in cardiac arrest. *Business Briefing: Long-term Healthcare 2005* and *Business Briefing: Emergency Medicine Review* 2005:58-61.
43. Wesley K. Let it flow: ResQPOD Circulatory Enhancer enables more effective CPR. *JEMS* 2005;30(12):72-74.
44. Yannopoulos D, Aufderheide TP, et al. Clinical and hemodynamic comparison of 15:2 and 30:2 compression-to-ventilation ratios for cardiopulmonary resuscitation. *Crit Care Med* 2006;34(5):1444-9.
45. Srinivasan V, Nadkarni VM, et al. Rapid induction of cerebral hypothermia is enhanced with active compression decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest. *J Am Coll Cardiol* 2006;47(4):835-41.
46. 2005 American Heart Association Guidelines for CPR and Emergency Cardiac Care; Part 6: CPR Techniques and Devices. *Circulation* 2005;112:IV-48.
47. Lurie K, Yannopoulos D, et al. Effects of reducing ventilation frequency on brain perfusion and tissue oxygen tension in a porcine model of cardiac arrest. *Circulation* 2006;114(18):II-1195.
48. Vartanian L, Wolf G, et al. Use of an impedance threshold device improves survival in a suburban EMS system. *Circulation* 2006;114(18):II-1209.
49. Metzger AK, Herman ML, et al. Effect of an impedance threshold device and a novel active compression decompression cardiopulmonary resuscitation device on cerebral perfusion pressures and 24-hour survival in a porcine model of cardiac arrest. *Circulation* 2006;114(18):II-554.
50. Yannopoulos D, Aufderheide T. Acute management of sudden cardiac death in adults based upon the new CPR guidelines. *Europace* 2007;9:2-9.
51. Yannopoulos D, Halperin HR, Lurie KG. Lower extremity counterpulsation during the decompression phase of CPR improves hemodynamics and provides continuous forward carotid blood flow. *Circulation* 2007;Supplement II;116(16):II-485.
52. Alexander C, Yannopoulos D, Aufderheide T, et al. Dual mechanism of blood flow augmentation to the brain using an impedance threshold device in a pediatric model of cardiac arrest. *Circulation* 2007;Supplement II;116(16):II-433.
53. Aufderheide T, Frascone RJ, Pirrallo R. Resuscitation in 2005: New ways to optimize manual CPR. *EMS Magazine* 2005;34(9):42-45.



- 54. Aufderheide TP, Birnbaum M, Lick C, et al. A tale of seven EMS systems: an impedance threshold device and improved CPR techniques double survival rates after out-of-hospital cardiac arrest. *Circulation* 2007;Supplement II;116(16);II-936.
- 55. Thigpen K, Simmons L, Hatten K. Implementation of the 2005 cardiopulmonary resuscitation guidelines and use of an impedance threshold device improve survival from inhospital cardiac arrest. *Ann Emerg Med* 2008;51(4):475.
- 56. Babbs CF. Effects of an impedance threshold valve upon hemodynamics in standard CPR: studies in a refined computational model. *Resuscitation* 2005;66(3):335-45.
- 57. Lurie KG, Yannopoulos D, McKnite SH, et al. Comparison of a 10 breaths-per-minute versus 2 breaths-per-minute strategy during cardiopulmonary resuscitation in a porcine model of cardiac arrest. *Resp Care* 2008;52(7):862-870.
- 58. Aufderheide TP, Lurie KG. Vital organ blood flow with the impedance threshold device. *Crit Care Med* 2006;34(12):S466-73.
- 59. Cabrini L, Beccaria P, Landoni G, et al. Impact of impedance threshold devices on cardiopulmonary resuscitation: a systematic review and meta-analysis of randomized controlled studies. *Crit Care Med* 2008;36(5):1625-1632<sup>1</sup>
- 60. Wesley K. Keep on Pump'n. *EMS Professionals*; Sept-Oct 2005:40.
- 61. Aufderheide TP, Kudenchuk PJ, Hedges JR, et al. Resuscitation Outcomes Consortium (ROC) PRIMED cardiac arrest trial methods part 1: rationale and methodology for the impedance threshold device (ITD) protocol. *Resuscitation* 2008;78:179-185.
- 62. Yannopoulos D, Lurie KG. Chapter 3.8: Cardiopulmonary resuscitation: guidelines and advancements for victims of cardiac arrest. *Cardiac Pacing and Defibrillation – Principle and Practice* (textbook).

**Categorization of References for Cardiac Arrest**

	With Standard CPR	With Active Compression Decompression (ACD) CPR
<b>Bench</b>	23, 26, 56	37
<b>Animal</b>	17, 18, 19, 20, 21, 24, 44, 47, 51, 52, 57	8, 9, 11, 12, 13, 14, 21, 24, 45, 49, 51
<b>Human</b>	1, 2, 3, 48, 54, 55, 59	4, 5, 6, 7, 59
<b>Review</b>	10, 15, 22, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 42, 43, 46, 50, 53, 58, 60, 61, 62	10, 15, 16, 22, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 42, 58, 62

<sup>1</sup> Editorial mistake in article.